

Message

From: Casso, Ruben [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=E33DF0ABBBF049959E9100E556C7E634-CASSO, RUBEN]
Sent: 1/14/2021 7:33:02 PM
To: Ngo, Kim [Ngo.Kim@epa.gov]
Subject: RE: Regional Review Request: EtO Emissions Files

The only overlap is on 2 facilities – Midwest Sterilization in Laredo, TX and Sterigenics in Santa Teresa in NM. (b)(5) Deliberative

[REDACTED]

From: Ngo, Kim <Ngo.Kim@epa.gov>
Sent: Thursday, January 14, 2021 1:26 PM
To: Casso, Ruben <Casso.Ruben@epa.gov>
Subject: RE: Regional Review Request: EtO Emissions Files

Thank you Ruben.

The briefing you did today had 9 sites (5 in LA and 4 in TX) in response to OIG.

(b)(5) Deliberative

Thank you.

From: Casso, Ruben <Casso.Ruben@epa.gov>
Sent: Thursday, January 14, 2021 9:06 AM
To: Ngo, Kim <Ngo.Kim@epa.gov>
Subject: FYI: Regional Review Request: EtO Emissions Files

Kim – You asked about the universe of facilities being reviewed under the OAQPS commercial sterilizer rulemaking data review. See list of R6 facilities below. -Ruben

AR – Baxter – Mountain Home, AR
OK – Lemco – Ardmore, OK
NM – Sterigenics – Santa Teresa, NM

TX
STERIS – Grand Prairie, TX
STERIS – El Paso, TX (2 locations)
MSC (Midwest Sterilization) – Laredo, TX
NovoSci – Conroe, TX
Ethicon – San Angelo, TX
ACS – Houston, TX
Steritec – Athens, TX
Sterigenics – Grand Prairie, TX